

# KleeBlue™

Your Total DEF Storage & Dispensing Equipment Solution



## DEF Storage & Dispensing Equipment Price Catalog

Turn-Key Systems

Dispensers

Mini-Bulk Tanks

Bulk Tanks

Specialty Tanks

Drum & Tote Pumps

Accessories

# KleerBlue™

1601 Buchanan Road  
Evansville, IN 47720  
(800) 320-2122 | (260) 484-9230 fax  
[www.KleerBlueSolutions.com](http://www.KleerBlueSolutions.com)



## QUALITY PRODUCTS

KleerBlue delivers quality. We believe in creating safe, durable products that offer the most value long-term. From the moment a product is conceptualized to engineering to manufacturing to shipping, our attention to detail is second to none. All our products meet ISO 22241 and PEI RP1100 standards. We manufacture here in the USA. KleerBlue offers the industry's widest offering of DEF dispensing and storage systems. Thanks to our quality products, KleerBlue is here to stay.



## PROVEN EXPERTISE

KleerBlue has the most in-house expertise in the industry. That expertise was recognized early on when we were asked to be part of the original committee to help establish PEI (Petroleum Equipment Industry) recommended practices and standards for the storage and dispensing of DEF. Through our parent companies, we have a 60 year history handling urea, a main component of DEF. We have a full in-house engineering and PLC programming team and years of PEI experience in engineering, manufacturing, construction, installation, distribution and service. KleerBlue not only understands the liquid and product, we know the business as well.



## CUSTOMER-FIRST APPROACH

KleerBlue believes in making the customer central in all we do. We stand behind our products. KleerBlue offers fair margins. We don't want to give our customers the cheapest products; we want to deliver quality and long-term value. Do we not have what you need? Thanks to our in-house engineering team, we can do custom products to help meet your needs.

| Fort Wayne, Indiana

| Evansville, Indiana





**TURN-KEY SYSTEMS 4**

Retail Island-Friendly Mini-Bulk	6	Fleet Deluxe Series	13
Fleet Island-Friendly Mini-Bulk	8	Quick Retail	14
Commercial Island-Friendly Mini-Bulk	10	Tote Enclosure	15
Fleet Ultra Series	12		

**DEF DISPENSERS 16**

Retail Apex Dispenser	18	Commercial Cabinet Dispenser	20
Fleet Apex Dispenser	19	Commercial Pedestal Dispenser	21

**DEF TANKS 22**

Island-Friendly Mini-Bulk Tanks	24	Ultra Series Tanks	26
Deluxe Series Tanks	25	Single Wall Bulk Tanks	28

**SPECIALTY TANKS 30**

Horizontal Tank Systems	32	Truck Bed Tank & Dispensing System	33
-------------------------	----	------------------------------------	----

**DRUM & TOTE PUMPS 34**

Closed Tote/IBC Systems	36	Closed Drum Systems	38
Open Tote/IBC Systems	37	Open Drum Systems	39

**ACCESSORIES 40**





Nozzles, Swivels & Breakaways	41	Thread Sealant	42
Reels & Hoses	42		





# KLEERBLUE TURN-KEY SYSTEMS

# WHICH TURN-KEY SYSTEM IS RIGHT FOR ME?

	 RETAIL MINI-BULK	 FLEET MINI-BULK	 COMMERCIAL MINI-BULK	 ULTRA FLEET	 DELUXE FLEET	 QUICK RETAIL
	PG. 6	PG. 8	PG. 10	PG. 12	PG. 13	PG. 14
<b>DEF CAPACITY</b>						
330 Gallons	-	-	-	-	-	✓
400 Gallons	✓	✓	✓	-	-	-
660 Gallons	-	-	-	-	-	Optional
1000 Gallons	✓	✓	✓	-	-	-
2000 Gallons	-	-	-	✓	✓	-
2600 Gallons	-	-	-	✓	✓	-
Need Larger Capacity? See Bulk Tanks on Pg. 22.						
<b>DISPENSER SPECS</b>						
NTEP & Weights & Measures- Approved	✓	-	-	-	-	✓
Certified to CSA C22.2 & UL 508	✓	✓	-	-	-	✓
Total/Volume/PPU Display	✓	-	-	-	-	✓
External Volume Display	✓	✓	-	-	-	✓
Internal Volume Display	-	-	✓	✓	✓	-
Compatibility with Most POS Systems & Dispenser Protocols	✓	-	-	-	-	✓
Fuel Management Systems (FMS) Compatibility	-	✓	With Pulse Output Option	✓	✓	-
Pulse Output	✓	✓	Optional	✓	✓	✓
Insulation & Heating	✓	✓	✓	✓	✓	✓
Dual Sided Dispenser	Optional	Optional	-	-	-	Optional
Additional Remote Dispensers Supplied Possible	Up to 5 Optional	Up to 5 Optional	-	Up to 5 Optional	Up to 5 Optional	-
<b>TANK SPECS</b>						
Insulation & Heating	✓	✓	✓	✓	✓	-
Fueling Island-Friendly	✓	✓	✓	-	-	✓
Blue Exterior	✓	✓	✓	-	✓	-
Tan Exterior	Optional (1000 Only)	Optional (1000 Only)	Optional (1000 Only)	-	-	-
White Exterior	-	-	-	✓	Optional	✓

# 400 Gallon RETAIL Mini-Bulk System



KB2010 Island-Oriented/T Frame Shown



**TURN-KEY** Each system comes assembled, pre-wired, tested and ready to install so you can sell DEF right away.

**SINGLE/DUAL SIDED RETAIL DISPENSER** Choose from single or dual-sided dispenser depending on your facility setup. Integrates with most retail POS systems.

**TRUE 400 GALLON CAPACITY** Brim full is 459 gallons of DEF.

**FUELING ISLAND-FRIENDLY** Engineered with a slim profile, these units fit on most standard fueling islands.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

## TANK SPECIFICATIONS

- 400 Gallon Fueling Island-Friendly Tank
- Certified to CSA C22.2 & UL 508
- Single Wall Tank in Double Wall Outer Shell
- UV-Protected Virgin HDLPE Polyethylene
- R-16 Insulation - Bottom, Sides & Top
- 200 Watt Redundant Heating System
- Submersible Pump
- Primary & Secondary Tank Vents
- Local Digital Readout Tank Gauge
- Mechanical Overfill Protection
- Island or Lane-Oriented Dispenser Stand
- Anchor Kit

## DISPENSER SPECIFICATIONS

- NTEP & Weights & Measures-Approved
- Certified to CSA C22.2 & UL 508
- DEF Retail Software Electronics
- Pulse Output
- Powder Coated Cabinet
- Stainless Steel Side & Door
- Insulated with Dual 800 Watt Heaters
- Stainless Steel Filter with 1 Micron Cartridge
- Hannay Spring-Rewind Hose Reel
- 18' DEF Hose with Female BSPP 1" End

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2010	Island-Oriented/T Frame	38" width x 172" length x 68" height	\$26,085.00		
SBD KB2010-L	Left-Hand Lane Oriented/P Frame	38" width x 190" length x 68" height	\$26,085.00		
SBD KB2010-R	Right-Hand Lane Oriented/P Frame	38" width x 190" length x 68" height	\$26,085.00		
SBD KB2010-D	Dual Sided Lane Oriented/P Frame	38" width x 190" length x 68" height	\$35,575.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDTHT	Mini-Bulk Tank Heater Deduction 400 Gallon	(\$200.00)		
SBD KBDEDDH	Dispenser Heater Insulation Deduction	(\$888.00)		
SBD VOLUMEONLY	Volume Only Display	\$0.00		
SBD M-TOT	Dispenser Mechanical Totalizer	\$134.00		
SBD KBDEDDKTG	Digital Readout Tank Gauge System Deduction	(\$1,228.00)		
SBD CSTG	Install Customer-Supplied Tank Gauge (Refer to Pg. 44 for Details)	\$100.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
SBD 2KLWTMPLRM	Dual Location Low Temperature Audible/Visual Alarm Tank and Dispenser	\$1,407.00		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD 910992	Outlet Kit for Adding Additional Remote Dispensers	\$148.00		
SBD SWBOX2D	Switch Box for 2 Dispensers (1 Additional Remote Dispenser)	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers (2 Additional Remote Dispensers)	\$620.00		
SBD 3/4MFKITMB	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,440.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
SBD ADPANEL	Add Two 3' x 8' Aluminum Composite Plain Advertising Panels (No Graphics)	\$631.00		
<b>TOTAL</b>				

# 1000 Gallon RETAIL Mini-Bulk System



KB2020 Left-Hand Lane Oriented/ P Frame Shown



**TURN-KEY** Each system comes assembled, pre-wired, tested and ready to install so you can sell DEF right away.

**SINGLE/DUAL SIDED RETAIL DISPENSER** Choose from single or dual-sided dispenser depending on your facility setup. Integrates with most retail POS systems.

**TRUE 1000 GALLON CAPACITY** Brim full is 1,070 gallons of DEF.

**FUELING ISLAND-FRIENDLY** Engineered with a slim profile, these units fit on most standard fueling islands.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

## TANK SPECIFICATIONS

- 1000 Gallon Fueling Island-Friendly Tank
- Certified to CSA C22.2 & UL 508
- Single Wall Tank in Double Wall Outer Shell
- UV-Protected Virgin HDLPE Polyethylene
- R-16 Insulation - Bottom, Sides & Top
- 450 Watt Redundant Heating System
- Submersible Pump
- Primary & Secondary Tank Vents
- Local Digital Readout Tank Gauge
- Mechanical Overfill Protection
- Island or Lane-Oriented Dispenser Stand
- Anchor Kit

## DISPENSER SPECIFICATIONS

- NTEP & Weights & Measures-Approved
- Certified to CSA C22.2 & UL 508
- DEF Retail Software Electronics
- Pulse Output
- Powder Coated Cabinet
- Stainless Steel Side & Door
- Insulated with Dual 800 Watt Heaters
- Stainless Steel Filter with 1 Micron Cartridge
- Hannay Spring-Rewind Hose Reel
- 18' DEF Hose with Female BSPP 1" End

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2020	Island-Oriented/T Frame	44" width x 172" length x 106" height	\$33,938.00		
SBD KB2020-L	Left-Hand Lane Oriented/P Frame	44" width x 190" length x 106" height	\$33,938.00		
SBD KB2020-R	Right-Hand Lane Oriented/P Frame	44" width x 190" length x 106" height	\$33,938.00		
SBD KB2020-D	Dual Sided Lane Oriented/P Frame	44" width x 190" length x 106" height	\$43,420.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDTH1	Mini-Bulk Tank Heater Deduction 1000 Gallon	(\$400.00)		
SBD KBDEDDH	Dispenser Heater Insulation Deduction	(\$888.00)		
SBD VOLUMEONLY	Volume Only Display	\$0.00		
SBD M-TOT	Dispenser Mechanical Totalizer	\$134.00		
SBD KBDEDDKTG	Digital Readout Tank Gauge System Deduction	(\$1,228.00)		
SBD CSTG	Install Customer-Supplied Tank Gauge (Refer to Pg. 44 for Details)	\$100.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
SBD 2KLWTMPLRM	Dual Location Low Temperature Audible/Visual Alarm Tank and Dispenser	\$1,407.00		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD 910992	Outlet Kit for Adding Additional Remote Dispensers	\$148.00		
SBD SWBOX2D	Switch Box for 2 Dispensers (1 Additional Remote Dispenser)	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers (2 Additional Remote Dispensers)	\$620.00		
SBD 3/4MFKITMB	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,440.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
SBD ADPANEL	Add Two 3' x 8' Aluminum Composite Plain Advertising Panels (No Graphics)	\$631.00		
SBD KBMBSC	Tan Color Tank Instead of Standard Blue	\$0.00		

**TOTAL**



# 400 Gallon FLEET Mini-Bulk System



KB2040 Island-Oriented/T Frame Shown



**TURN-KEY** Each system comes assembled, pre-wired, tested and ready to install so you can dispense DEF right away.

**SINGLE/DUAL SIDED FLEET DISPENSER** Choose from single or dual-sided dispenser depending on your facility setup. Integrates with most fuel management systems (FMS).

**TRUE 400 GALLON CAPACITY** Brim full is 459 gallons of DEF.

**FUELING ISLAND-FRIENDLY** Engineered with a slim profile, these units fit on most standard fueling islands.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

## TANK SPECIFICATIONS

- 400 Gallon Fueling Island-Friendly Tank
- Certified to CSA C22.2 & UL 508
- Single Wall Tank in Double Wall Outer Shell
- UV-Protected Virgin HDLPE Polyethylene
- R-16 Insulation - Bottom, Sides & Top
- 200 Watt Redundant Heating System
- Submersible Pump
- Primary & Secondary Tank Vents
- Local Digital Readout Tank Gauge
- Mechanical Overfill Protection
- Island or Lane-Oriented Dispenser Stand
- Anchor Kit

## DISPENSER SPECIFICATIONS

- Certified to CSA C22.2 & UL 508
- DEF Fleet Software Electronics
- Pulse Output
- Powder Coated Cabinet
- Stainless Steel Side & Door
- Insulated with Dual 800 Watt Heaters
- Stainless Steel Filter with 1 Micron Cartridge
- Spring-Rewind Hose Reel
- 25' DEF Hose with Female BSPP 1" End

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2040	Island-Oriented/T Frame	38" width x 172" length x 68" height	\$23,755.00		
SBD KB2040-L	Left-Hand Lane Oriented/P Frame	38" width x 190" length x 68" height	\$23,755.00		
SBD KB2040-R	Right-Hand Lane Oriented/P Frame	38" width x 190" length x 68" height	\$23,755.00		
SBD KB2040-D	Dual Sided Lane Oriented/P Frame	38" width x 190" length x 68" height	\$29,735.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDTHT	Mini-Bulk Tank Heater Deduction 400 Gallon	(\$200.00)		
SBD KBDEDDH	Dispenser Heater Insulation Deduction	(\$888.00)		
SBD KBDEDDKTG	Digital Readout Tank Gauge System Deduction	(\$1,228.00)		
SBD CSTG	Install Customer-Supplied Tank Gauge (Refer to Pg. 44 for Details)	\$100.00		
SBD M-TOT	Dispenser Mechanical Totalizer	\$134.00		
SBD SSOZ-3/4N	Stainless Steel Automatic Nozzle 3/4" FNPT	\$210.00		
SBD SSOZ-75B	Stainless Steel Swivel & Breakaway. One Time Use.	\$140.00		
SBD SSOZ-7545	Stainless Steel 45 Degree Swivel	\$114.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
SBD 2KLWTMPLRM	Dual Location Low Temperature Audible/Visual Alarm Tank and Dispenser	\$1,407.00		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD 910415	TODD 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD 910992	Outlet Kit for Adding Additional Remote Dispensers	\$148.00		
SBD SWBOX2D	Switch Box for 2 Dispensers (1 Additional Remote Dispenser)	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers (2 Additional Remote Dispensers)	\$620.00		
SBD 3/4MFKITMB	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,440.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
<b>TOTAL</b>				



# 1000 Gallon FLEET Mini-Bulk System



KB2050 Right-Hand Lane Oriented/ P Frame Shown



**TURN-KEY** Each system comes assembled, pre-wired, tested and ready to install so you can dispense DEF right away.

**SINGLE/DUAL SIDED FLEET DISPENSER** Choose from single or dual-sided dispenser depending on your facility setup. Integrates with most fuel management systems (FMS).

**TRUE 1000 GALLON CAPACITY** Brim full is 1,070 gallons of DEF.

**FUELING ISLAND-FRIENDLY** Engineered with a slim profile, these units fit on most standard fueling islands.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

## TANK SPECIFICATIONS

- 1000 Gallon Fueling Island-Friendly Tank
- Certified to CSA C22.2 & UL 508
- Single Wall Tank in Double Wall Outer Shell
- UV-Protected Virgin HDLPE Polyethylene
- R-16 Insulation - Bottom, Sides & Top
- 450 Watt Redundant Heating System
- Submersible Pump
- Primary & Secondary Tank Vents
- Local Digital Readout Tank Gauge
- Mechanical Overfill Protection
- Island or Lane-Oriented Dispenser Stand
- Anchor Kit

## DISPENSER SPECIFICATIONS

- Certified to CSA C22.2 & UL 508
- DEF Fleet Software Electronics
- Pulse Output
- Powder Coated Cabinet
- Stainless Steel Side & Door
- Insulated with Dual 800 Watt Heaters
- Stainless Steel Filter with 1 Micron Cartridge
- Spring-Rewind Hose Reel
- 25' DEF Hose with Female BSPP 1" End

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2050	Island-Oriented/T Frame	44" width x 172" length x 106" height	\$31,608.00		
SBD KB2050-L	Left-Hand Lane Oriented/P Frame	44" width x 190" length x 106" height	\$31,608.00		
SBD KB2050-R	Right-Hand Lane Oriented/P Frame	44" width x 190" length x 106" height	\$31,608.00		
SBD KB2050-D	Dual Sided Lane Oriented/P Frame	44" width x 190" length x 106" height	\$37,588.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDTH1	Mini-Bulk Tank Heater Deduction 1000 Gallon	(\$400.00)		
SBD KBDEDDH	Dispenser Heater Insulation Deduction	(\$888.00)		
SBD KBDEDDKTG	Digital Readout Tank Gauge System Deduction	(\$1,228.00)		
SBD CSTG	Install Customer-Supplied Tank Gauge (Refer to Pg. 44 for Details)	\$100.00		
SBD M-TOT	Dispenser Mechanical Totalizer	\$134.00		
SBD SSNOZ-3/4N	Stainless Steel Automatic Nozzle 3/4" FNPT	\$210.00		
SBD SSNOZ-75B	Stainless Steel Swivel & Breakaway. One Time Use.	\$140.00		
SBD SSNOZ-7545	Stainless Steel 45 Degree Swivel	\$114.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD 2KLWTMPLRM	Dual Location Low Temperature Audible/Visual Alarm Tank and Dispenser	\$1,407.00		
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD 910992	Outlet Kit for Adding Additional Remote Dispensers	\$148.00		
SBD SWBOX2D	Switch Box for 2 Dispensers (1 Additional Remote Dispenser)	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers (2 Additional Remote Dispensers)	\$620.00		
SBD 3/4MFKITMB	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,440.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
SBD KBMBSC	Tan Color Tank Instead of Standard Blue	\$0.00		

**TOTAL**

# 400 Gallon COMMERCIAL Mini- Bulk System



KB2070  
Standard  
Cabinet

KB2060HR  
Extended  
Cabinet for  
Hose Reel



**TURN-KEY** Each system comes assembled, pre-wired, tested and ready to install so you can dispense DEF right away.

**TRUE 400 GALLON CAPACITY** Brim full is 459 gallons of DEF.

**FUELING ISLAND-FRIENDLY** Engineered with a slim profile, these units fit on most standard fueling islands.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

## TANK SPECIFICATIONS

- 400 Gallon Fueling Island-Friendly Tank
- Certified to CSA C22.2 & UL 508
- Single Wall Tank in Double Wall Outer Shell
- UV-Protected Virgin HDLPE Polyethylene
- R-16 Insulation - Bottom, Sides & Top
- 200 Watt Redundant Heating System
- Submersible Pump
- Primary & Secondary Tank Vents

- Local Digital Readout Tank Gauge
- Mechanical Overfill Protection
- Anchor Kit

## DISPENSER SPECIFICATIONS

- Aluminum Cabinet
- Insulated with 400 Watt Heater
- Polypropylene Filter with 1 Micron Cartridge
- Commercial Digital Flow Meter
- 12' DEF Hose with Female BSPP 1" End
- On/Off Timer

- Optional Pulse Output (Up to 100:1)
- Optional Hannay Spring-Rewind Hose Reel & 25' or 50' Hose

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2060	400 Gallon with KB1060 Dispenser Mini-Bulk System	38" width x 155" length x 62" height	\$13,496.00		
SBD KB2060-PO	400 Gallon with KB1060-PO Dispenser includes Pulse Output	38" width x 155" length x 62" height	\$13,745.00		
SBD KB2060-HR	400 Gallon with KB1060-HR Dispenser Includes 25' Hose Reel	38" width x 171" length x 62" height	\$16,646.00		
SBD KB2060-POHR	400 Gallon with KB1060-POHR Dispenser Includes 25' Hose Reel & Pulse Output	38" width x 171" length x 62" height	\$16,896.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDTHT	Mini-Bulk Tank Heater Deduction 400 Gallon	(\$200.00)		
SBD DEDCOMH	Dispenser Heater Deduction (Insulation Remains)	(\$237.00)		
SBD KBDEDDKTG	Digital Readout Tank Gauge System Deduction	(\$1,228.00)		
SBD CSTG	Install Customer-Supplied Tank Gauge (Refer to Pg. 44 for Details)	\$100.00		
SBD ADD-REEL50	Replace 25' Hose & Reel with 50' Hose & Reel (Hose Reel Units Only)	\$225.00		
SBD SSOZ-3/4N	Stainless Steel Automatic Nozzle 3/4" FNPT	\$210.00		
SBD SSOZ-75B	Stainless Steel Swivel & Breakaway. One Time Use.	\$140.00		
SBD SSOZ-7545	Stainless Steel 45 Degree Swivel	\$114.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD 910415	TODD 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
<b>TOTAL</b>				



# 1000 Gallon COMMERCIAL Mini-Bulk System

**TURN-KEY** Each system comes pre-wired, tested and ready to install so you can dispense DEF right away.

**TRUE 1000 GALLON CAPACITY** Brim full can hold 1070 gallons of DEF.

**FUELING ISLAND-FRIENDLY** Engineered with a slim profile, these units fit on most standard fueling islands.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

## TANK SPECIFICATIONS

- 1000 Gallon Fueling Island-Friendly Tank
- Certified to CSA C22.2 & UL 508
- Single Wall Tank in Double Wall Outer Shell
- UV-Protected Virgin HDLPE Polyethylene
- R-16 Insulation - Bottom, Sides & Top
- 450 Watt Redundant Heating System
- Submersible Pump
- Primary & Secondary Tank Vents
- Local Digital Readout Tank Gauge
- Mechanical Overfill Protection
- Anchor Kit

## DISPENSER SPECIFICATIONS

- Aluminum Cabinet
- Insulated with 400 Watt Heater
- Polypropylene Filter with 1 Micron Cartridge
- Commercial Digital Flow Meter
- 12' DEF Hose with Female BSPP 1" End
- On/Off Timer
- Optional Pulse Output (Up to 100:1)
- Optional Hannay Spring-Rewind Hose Reel & 25' or 50' Hose

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2070	1000 Gallon with KB1060 Dispenser Mini-Bulk System	44" width x 155" length x 106" height	\$21,349.00		
SBD KB2070-PO	1000 Gallon with KB1060-PO Dispenser Includes Pulse Output	44" width x 155" length x 106" height	\$21,598.00		
SBD KB2070-HR	1000 Gallon with KB1060-HR Dispenser Includes 25' Hose Reel	44" width x 171" length x 106" height	\$24,499.00		
SBD KB2070-POHR	1000 Gallon with KB1060-POHR Dispenser Includes Hose Reel & Pulse Output	44" width x 171" length x 106" height	\$24,749.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDTH1	Mini-Bulk Tank Heater Deduction 1000 Gallon	(\$400.00)		
SBD DEDCOMH	Dispenser Heater Deduction (Insulation Remains)	(\$237.00)		
SBD KBDEDDKTG	Digital Readout Tank Gauge System Deduction	(\$1,228.00)		
SBD CSTG	Install Customer-Supplied Tank Gauge (Refer to Pg. 44 for Details)	\$100.00		
SBD ADD-REEL50	Replace 25' Hose & Reel with 50' Hose & Reel (Hose Reel Units Only)	\$225.00		
SBD SSNOZ-3/4N	Stainless Steel Automatic Nozzle 3/4" FNPT	\$210.00		
SBD SSNOZ-75B	Stainless Steel Swivel & Breakaway. One Time Use.	\$140.00		
SBD SSNOZ-7545	Stainless Steel 45 Degree Swivel	\$114.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD 910415	TODD 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD KBMBSC	Tan Color Tank Instead of Standard Blue	\$0.00		
<b>TOTAL</b>				



# 2000/2600 Gallon Ultra FLEET System



**TURN-KEY** Each system comes assembled, pre-wired, tested and ready to install so you can dispense DEF right away.

**SLEEK YET ROBUST DESIGN** Engineered to look great at any facility and to stand up to heavy use in rugged environments.

**INTEGRATED DISPENSER** The tank-enclosed dispenser interfaces with most fuel management systems (FMS) via pulse output.

**LARGE 2000/2600 GALLON CAPACITY** Hold more DEF with this 2000/2600 gallon tank.

**EXTREME COLD RESISTANT** With high-grade insulation and integrated heating you can be confident you can sell DEF year-round without interruption.

## CABINET & TANK SPECIFICATIONS

- 2000 or 2600 Gallon Polyethylene Vertical Tank
- Secondary Containment
- High-Performance Smooth Surface White Aluminum Composite Exterior Panels
- R-10 Insulated Top & Sides
- Easy-to-Clean FRP Interior Surfaces
- Powder-Coated Insulated Steel Base Frame
- Forced Air Heating System
- Submersible Pump
- Pressure Vacuum Vents
- Mechanical Overfill Protection
- Anchor Kit
- LED Light
- Electrical Control Panel
- Fill & Service Access Door
- Dispensing Access Door

## INTEGRATED DISPENSER SPECIFICATIONS

- Pulse Output (Up to 100:1)
- Polypropylene Filter with 1 Micron Cartridge
- Hannay Spring-Rewind Hose Reel
- 25' DEF Hose with Female BSPP 1" End

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2000-6DP	2000 Gallon Ultra Fleet	102" width x 145" length x 118" height	\$31,692.00		
SBD KB2600-6DP	2600 Gallon Ultra Fleet	102" width x 145" length x 118" height	\$33,372.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE	
SBD KBDEDTHUD	Tank Insulation Deduction (No Secondary Containment)	(\$1,400.00)			
SBD KBDEDTINUD	Tank Heater Deduction Only	(\$500.00)			
SBD EXHFAN2E	Exhaust Fan/Vent for Warm Climates	\$400.00			
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00			
SBD TOPACDOOR	36" x 36" Top Access Door (in lieu of 18" Manway)	\$1,775.00			
SBD TG1000-2K	Digital Tank Gauge	\$1,239.00			
SBD 910415	TODD 2" Male Drybreak Tank Fill Adapter	\$783.00			
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00			
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00			
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00			
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00			
SBD SWBOX2D	Switch Box for 2 Dispensers	\$550.00			
SBD SWBOX3D	Switch Box for 3 Dispensers	\$620.00			
SBD 3/4MFKIT	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,700.00			
SBD KB7100-UP1	Upgrade to 1 HP Submersible Pump	\$250.00			
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00			
SBD SWBX3-6240	Switch Box for 2 Pumps 3-6 Dispensers (240 V)	\$1,048.00			
<b>TOTAL</b>					

# 2000/2600 Gallon Deluxe FLEET System



**TURN-KEY** Each system comes assembled, pre-wired, tested and ready to install so you can dispense DEF right away.

**INTEGRATED FLEET DISPENSER** The tank-enclosed dispenser interfaces with most fuel management systems (FMS) via pulse output.

**LARGE 2000/2600 GALLON CAPACITY** Hold more DEF with this 2000/2600 gallon tank.

**ROBUST** HDLPE tank and secondary containment means this unit is ready to stand up to heavy use in rugged environments.

**EXTREME COLD RESISTANT** With high-grade insulation and integrated heating you can be confident you can sell DEF year-round without interruption.

## CABINET & TANK SPECIFICATIONS

- 2000 or 2600 Gallon Polyethylene Tank
- Secondary Containment
- Polyethylene Outer Shell
- R-14 Insulation
- Forced Air Heating System
- Submersible Pump
- Pressure Vacuum Vents
- Mechanical Overfill Protection
- Anchor Kit
- Light
- Electrical Control Panel
- Fill & Service Access Service Door
- Dispensing Access Door

## INTEGRATED DISPENSER SPECIFICATIONS

- Pulse Output (Up to 100:1)
- Polypropylene Filter with 1 Micron Cartridge
- Hannay Spring-Rewind Hose Reel
- 25' DEF Hose with Female BSPP 1" End

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2000-6	2000 Gallon Deluxe Fleet	102" width x 145" length x 118" height	\$27,938.00		
SBD KB2600-6	2600 Gallon Deluxe Fleet	102" width x 145" length x 118" height	\$29,285.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE	
SBD KBDEDTHUD	Tank Insulation Deduction (No Secondary Containment)	(\$1,400.00)			
SBD KBDEDTINUD	Tank Heater Deduction Only	(\$500.00)			
SBD EXHFAN2E	Exhaust Fan/Vent for Warm Climates	\$400.00			
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00			
SBD KB2000-W	White Tank Color Instead of Standard Blue	\$641.00			
SBD TG1000-2K	Digital Tank Gauge	\$1,239.00			
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00			
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00			
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00			
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00			
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00			
SBD SWBOX2D	Switch Box for 2 Dispensers	\$550.00			
SBD SWBOX3D	Switch Box for 3 Dispensers	\$620.00			
SBD 3/4MPKIT	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,700.00			
SBD KB7100-UP1	Upgrade to 1 HP Submersible Pump	\$250.00			
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00			
SBD SWBX3-6240	Switch Box for 2 Pumps 3-6 Dispensers (240 V)	\$1,048.00			
<b>TOTAL</b>					

# 330 Gallon Quick RETAIL System



**SELL DEF WITH LESS EQUIPMENT INVESTMENT** Start selling DEF legally at a fraction of the initial investment cost of other systems currently on the market.

**SINGLE/DUAL SIDED RETAIL DISPENSER** Choose from single or dual-sided dispenser depending on your facility setup. Integrates with most retail POS systems.

**MAINTAIN DEF PURITY** The Micro Matic components maintain a closed system to prevent DEF contamination

**FUELING ISLAND-FRIENDLY** Small tank size allows units to fit on most standard fueling islands.

**CONFIGURABLE** System does not include plumbing between tote & dispenser allowing you to place dispenser wherever it makes the most sense for your location.



## TANK SPECIFICATIONS

- 330 Gallon Polyethylene Tote
- Tubular Steel Frame
- Micro Matic RSV Fill Valve
- Bottom Withdraw Valve
- 1" NPT Locking Discharge Valve
- Pressure Vacuum Vent

- Pressure Relief System
- Submersible Pump

## DISPENSER SPECIFICATIONS

- Weights & Measures-Approved
- Certified to CSA C22.2 & UL 508
- DEF Retail Software Electronics
- Pulse Output
- Powder Coated Cabinet
- Stainless Steel Side & Door
- Insulated with Dual 800 Watt Heat
- Stainless Steel Filter with 1 Micron Cartridge
- Hannay Spring-Rewind Hose Reel
- 18' DEF Hose with Female BSPP 1" End
- OPW Non-Mis-Fill Nozzle with Swivel & Breakaway

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD QR-330APEX	Quick Retail with Single-Sided Dispenser	Tote: 47" width x 40" length x 53" height Apex: 33.75" width x 25" depth x 63" height	\$18,940.00		
SBD QR-330APEXD	Quick Retail with Dual-Sided Dispenser	Tote: 47" width x 40" length x 53" height Apex: 33.75" width x 25" depth x 63" height	\$29,705.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDDH	Dispenser Heater Insulation Deduction	(\$888.00)		
SBD M-TOT	Dispenser Mechanical Totalizer	\$134.00		
SBD OPWSTDNOZD	Deduction For OPW Non-Mis-fill Auto Nozzle & Breakaway	(\$1,275.00)		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD 330TSU-D	330 Gallon Single Tote Enclosure	\$7,126.00		
SBD QR-330S	Extra 330 Gallon Tote	\$457.00		
SBD 660TSU-D	660 Gallon Dual Tote Enclosure	\$10,987.00		
SBD 910927	Transition Support Frame (For Cold Climate Applications)	\$871.00		
SBD 2T-CKIT	Top Manifolding Kit for 2 Totes	\$315.00		
<b>TOTAL</b>				





# Single & Dual Ultra Tote Enclosure

**TURN-KEY** Each enclosure comes pre-assembled on a metal skid for easy setup.

**SECURE** Locking access doors prevent theft and accidental contamination.

**AESTHETICALLY PLEASING** The white powder coated exterior looks great at any facility.

**WEATHER-RESISTANT** High quality powder coating helps protect against the elements to ensure the enclosure looks great for years.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident your DEF supply will be ready to use when you need it.

## ENCLOSURE SPECIFICATIONS

- High-Performance Smooth Surface White Aluminum Composite Exterior Panels
- Powder Coated Steel Base Frame with Insulation
- R10 Insulated Top & Sides
- Easy-to-Clean FRP Interior Surfaces
- Forced Air Heating System
- Audible Alarm
- LED Light
- Electrical Control Panel
- Fill & Service Access Door
- Dispensing Access Door
- Preassembled on Metal Skid
- Forklift Access Points

**Note:** Totes and Pumps are Sold Separately.





PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD 330TSU-D	330 Gallon Single Tote Enclosure	48" width x 66" length x 85" total height x 76" side wall	\$7,126.00		
SBD 660TSU-D	660 Gallon Dual Tote Enclosure	48" width x 132" length x 85" total height x 76" side wall	\$10,987.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD 2T-CKIT	Top Manifolding Kit for 2 Totes	\$315.00		
SBD PPTM-1-110	110 Volt Pump with Meter	\$988.00		
SBD PPTM-2-110	110 Volt Pump without Meter	\$827.00		
SBD TSU-HRM-25	Tote Enclosure Stand for 25' Hose Reel	\$475.00		
SBD REEL-25	Spring-Rewind Reel with 25' Hose	\$997.00		
<b>TOTAL</b>				



# KLEERBLUE DEF DISPENSERS

# Which Dispenser Is Right for Me?

	 <b>RETAIL APEX</b>	 <b>FLEET APEX</b>	 <b>COMMERCIAL CABINET</b>	 <b>COMMERCIAL PEDESTAL</b>
	PG. 18	PG. 19	PG. 20	PG. 21
<b>CABINET DESIGN</b>				
Weather-Resistant	✓	✓	✓	With Lock Box
Insulation & Heating	✓	✓	✓	-
Dual Sided Dispenser	Optional	Optional	-	-
Electronics/Meter Access Lock	✓	✓	✓	With Lock Box
Hose & Nozzle Door Lock	Optional	Optional	✓	With Lock Box
<b>DELIVERY HOSE</b>				
Retracting Hose Reel	✓	✓	Optional	-
10' Hose	-	-	-	-
12' Hose	-	-	✓	-
18' Hose	✓	-	-	-
25' Hose	-	✓	Optional	-
30' Hose	-	-	-	✓
50' Hose	-	Optional	Optional	-
<b>ELECTRONICS &amp; DISPLAY</b>				
NTEP & Weights & Measures - Approved	✓	✓	-	-
Certified to CSA C22.2 & UL 508	✓	✓	-	-
Total/Volume/PPU Display	✓	-	-	-
External Volume Display	✓	✓	-	✓
Internal Volume Display	-	-	✓	With Lock Box
POS Integration	✓	-	-	-
Fleet Management Systems (FMS) Integration	-	✓	With Pulse Output Option	With Pulse Output Option
Pulse Output	✓	✓	Optional	Optional
<b>TANK COMPATIBILITY</b>				
Fueling Island-Friendly Mini-Bulk	✓	✓	✓	-
Deluxe Series	Remote Only	Remote Only	Remote Only	-
Ultra Series	Remote Only	Remote Only	Remote Only	-
Standard Bulk	Remote Only	Remote Only	Remote Only	Remote Only



# RETAIL Apex Dispenser



**EMULATES STANDARD PROTOCOLS** The KleerBlue Retail Apex works with most major site controllers and POS systems.

**SINGLE/DUAL SIDED RETAIL DISPENSER** Choose from single or dual-sided dispenser depending on your facility setup, conserving fueling island space.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

**MODULAR DESIGN** Damage done to one part of the dispenser can be quickly repaired without replacing the entire unit.



## SPECIFICATIONS

- NTEP & Weights & Measures-Approved
- Certified to CSA C22.2 & UL 508
- DEF Retail Software Electronics
- Pulse Output
- Powder Coated Cabinet
- Stainless Steel Side & Door
- Insulated with Dual 800 Watt Heaters
- Stainless Steel Filter with 1 Micron Cartridge
- Hannay Spring-Rewind Hose Reel
- 18' DEF Hose with Female BSPP 1" End

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD 1010A1	Retail Single Sided Dispenser	33.75" width x 25" depth x 63" height	\$14,680.00		
SBD 1010A2	Retail Dual Sided Dispenser	33.75" width x 25" depth x 63" height	\$24,170.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDDH	Dispenser Heater Insulation Deduction	(\$888.00)		
SBD VOLUMEONLY	Volume Only Display	\$0.00		
SBD M-TOT	Dispenser Mechanical Totalizer	\$134.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
<b>TOTAL</b>				



# FLEET Apex Dispenser

**FMS INTEGRATION** Send fueling information to your Fuel Management System (FMS) via programmable pulse output.

**SINGLE/DUAL SIDED FLEET DISPENSER** Choose from single or dual-sided dispenser depending on your facility setup, conserving fueling island space.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

**MODULAR DESIGN** Damage done to one part of the dispenser can be quickly repaired without replacing the entire unit.




## SPECIFICATIONS

- Certified to CSA C22.2 & UL 508
- DEF Fleet Software Electronics
- Pulse Output
- Powder Coated Cabinet
- Stainless Steel Side & Door
- Insulated with Dual 800 Watt Heaters
- Stainless Steel Filter with 1 Micron Cartridge
- Hannay Spring-Rewind Hose Reel
- 25' DEF Hose with Female BSPP 1" End

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD 1040A1	Fleet Single Sided Dispenser	33.75" width x 25" depth x 63" height	\$12,350.00		
SBD 1040A2	Fleet Dual Sided Dispenser	33.75" width x 25" depth x 63" height	\$18,330.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDDH	Dispenser Heater Insulation Deduction	(\$888.00)		
SBD M-TOT	Dispenser Mechanical Totalizer	\$134.00		
SBD ADD-REEL50	Replace 25' Hose & Reel with 50' Hose & Reel (Single-Sided Dispenser Only)	\$225.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
<b>TOTAL</b>				

# COMMERCIAL Cabinet Dispenser



**COLD RESISTANT** With high-grade insulation and heating you can be confident you can sell DEF year-round without interruption. (No dispenser jacket required.)

**INEXPENSIVE** Start dispensing DEF in cold climates with minimal startup investment.

**WEATHER RESISTANT** Aluminum cabinet prevents rusting and stands up to the elements.

**OPTIONAL PULSE OUTPUT** Send volume information to external displays and/or software such as Fuel Management Systems.

**OPTIONAL HOSE REEL** Speed up dispensing with retracting hose reels and longer hose lengths.


## SPECIFICATIONS

- Aluminum Cabinet
- Insulated with 400 Watt Heater
- Polypropylene Filter with 1 Micron Cartridge
- Commercial Digital Flow Meter
- On/Off Timer
- 12' DEF Hose with Female BSPP 1" End
- Optional Pulse Output (Up to 100:1)
- Optional Spring-Rewind Hose Reel & 25' Hose

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB1060	Standard Dispenser Cabinet	32" width x 10" depth x 32" height	\$2,962.00		
SBD KB1060-PO	Standard Dispenser Cabinet with Pulse Output	32" width x 10" depth x 32" height	\$3,211.00		
SBD KB1060-HR	Extended Dispenser Cabinet with 25' Hose & Hose Reel	32" width x 38" depth x 32" height	\$5,522.00		
SBD KB1060-POHR	Extended Dispenser Cabinet with 25' Hose & Hose Reel & Pulse Output	32" width x 38" depth x 32" height	\$5,772.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD DEDCOMH	Dispenser Heater Deduction	(\$237.00)		
SBD ADD-REEL50	Replace 25' Hose & Reel with 50' Hose & Reel (Hose Reel Units Only)	\$225.00		
SBD SSNOZ-3/4N	Stainless Steel Automatic Nozzle 3/4" FNPT	\$210.00		
SBD SSNOZ-75B	Stainless Steel Swivel & Breakaway. One Time Use.	\$140.00		
SBD SSNOZ-7545	Stainless Steel 45 Degree Swivel	\$114.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
SBD 1060FS10D	Two Legged Floor Powder Coated Steel Stand for Standard Cabinet	\$466.00		
SBD 1060FS28D	Four Legged Floor Powder Coated Steel Stand for Extended Cabinet	\$590.00		
<b>TOTAL</b>				

# COMMERCIAL Pedestal Dispenser



Basic Dispenser

Lockbox

**INEXPENSIVE** Start dispensing DEF in warm climates or indoors with minimal startup investment.

**SMALL FOOTPRINT** This no-frills dispenser requires the least amount of floor space.

**LONG HOSE** This dispenser offers the longest standard delivery hose.

**OPTIONAL LOCK BOX** Improve security and weather resistance with a powder coated lock box.

## SPECIFICATIONS

- Steel Pipe Stand
- Electronic Flow Meter
- 3/4" Ball Valve
- Timer Switch
- Stainless Steel Automatic Nozzle with Hose Barb
- Hose Holder
- 30' Delivery Hose
- Optional Blue Powder-Coated Lock Box

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD 910644	Basic Dispenser Unit	10" width x 10" depth x 59" height	\$1,186.00		
SBD 910646	Basic Dispenser with Lock Box	20" width x 12" depth x 66" height	\$1,504.00		
SBD 910646PO	Basic Dispenser with Lock Box & Pulse Output *	20" width x 12" depth x 66" height	\$1,770.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD SSNOZ-3/4N	Stainless Steel Automatic Nozzle 3/4" FNPT	\$210.00		
SBD SSNOZ-75B	Stainless Steel Swivel & Breakaway. One Time Use.	\$140.00		
SBD SSNOZ-7545	Stainless Steel 45 Degree Swivel	\$114.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
<b>TOTAL</b>				





\*Please contact KleerBlue Service (800) 320-2122 Ext. 2 for confirmation of use application.





**KLEERBLUE DEF**  
**MINI & BULK TANKS**  
*For Supplying Remote Dispensers*

# Which Tank Is Right for Me?

	<b>MINI-BULK</b> 	<b>DELUXE SERIES</b> 	<b>ULTRA SERIES</b> 	<b>STANDARD VERTICAL</b> 
	PG. 24	PG. 25	PG. 26	PG. 28
<b>DEF CAPACITY</b>				
Accepts 5,000 Gal Bulk Deliveries	-	-	✓	✓
400 gallons	✓	-	-	-
850 gallons	-	-	-	✓
1,000 gallons	✓	-	-	✓
2,000 gallons	-	✓	✓	✓
2,600 gallons	-	✓	✓	-
3,000 gallons	-	-	-	✓
6,500 gallons	-	-	-	✓
7,100 gallons	-	-	✓	-
8,750 gallons	-	-	-	✓
10,500 gallons	-	-	-	✓
12,500 gallons	-	-	-	✓
<b>CONSTRUCTION</b>				
Secondary Containment	✓	✓	✓	Optional
Triple Wall	✓	✓	✓	-
Polyethylene DEF Tank	✓	✓	✓	✓
R-16 Insulation	✓	-	-	-
R-14 Insulation	-	✓	✓	-
R-10 Insulation	-	-	✓	-
DeltaT-50 Insulation	-	-	-	✓
Heating	✓	✓	✓	Optional
ASTM D-1998 Spec	✓	✓	✓	Optional
<b>OVERFILL PROTECTION</b>				
Digital Tank Gauge	✓	Optional	Optional	Optional Over 20 ft
Overfill Protection	✓	✓	✓	✓
Alarms	Optional	Optional	Optional	Optional
<b>DISPENSER COMPATIBILITY</b>				
Apex Retail	✓	Remote Only	Remote Only	Remote Only
Apex Fleet	✓	Remote Only	Remote Only	Remote Only
Commercial Cabinet	✓	Remote Only	Remote Only	Remote Only
Commercial Pedestal	-	-	-	Remote Only
3rd Party	✓	Remote Only	Remote Only	Remote Only

KB 3850 1000  
Gallon Tank



KB3440  
400 Gallon Tank



# 400/1000 Gallon Island-Friendly Mini-Bulk Tanks

**TRUE 400/1000 GALLON CAPACITY** Brim fill is 459 for 400 gallon tank and 1,070 for 1,000 gallon tank.

**FUELING ISLAND-FRIENDLY** Engineered with a slim profile, these units fit on most standard fueling islands.

**EXTREME COLD RESISTANT** With high-grade insulation and redundant heating you can be confident you can dispense DEF year-round without interruption.

## TANK SPECIFICATIONS

- Fueling Island-Friendly Dimensions
- Certified to CSA C22.2 & UL 508
- Single Wall Tank in Double Wall Outer Shell
- UV-Protected Virgin HDLPE Polyethylene
- R-16 Insulation - Bottom, Sides & Top
- Redundant Heating System
- Submersible Pump
- Primary & Secondary Tank Vents
- Local Digital Readout Tank Gauge
- Mechanical Overfill Protection
- Anchor Kit

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB3440	400 Gallon Mini-Bulk	38" width x 150" length x 68" height	\$10,534.00		
SBD KB3850	1,000 Gallon Mini-Bulk	44" width x 150" length x 106" height	\$18,387.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDTHT	Mini-Bulk Tank Heater Deduction 400 Gallon	(\$200.00)		
SBD KBDEDTHT1	Mini-Bulk Tank Heater Deduction 1000 Gallon	(\$400.00)		
SBD KBDEDDKTG	Digital Readout Tank Gauge System Deduction	(\$1,228.00)		
SBD CSTG	Install Customer-Supplied Tank Gauge (Refer to Pg. 44 for Details)	\$100.00		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD 910992	Outlet Kit for Adding Additional Remote Dispensers	\$148.00		
SBD SWBOX1D	Switch Box for 1 Dispenser	\$328.00		
SBD SWBOX2D	Switch Box for 2 Dispensers (1 Additional Remote Dispenser)	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers (2 Additional Remote Dispensers)	\$620.00		
SBD 3/4MFKITMB	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,440.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
SBD SWBX3-6240	Switch Box for 2 Pumps 3-6 Dispensers (240 V)	\$1,048.00		
SBD TRANCVR-1	Transcover that Mounts on the End of the Tank	\$500.00		
SBD KB7100-UP1	Upgrade to 1 HP Submersible Pump	\$250.00		
SBD G-DIS	Gilbarco Encore Island-Oriented Transition Box	\$1,960.00		
SBD G-DISOF	Gilbarco Encore Lane-Oriented Transition Box	\$1,960.00		
SBD GASBOYT	Gasboy Atlas Island-Oriented Transition Box	\$1,960.00		
SBD GASBOYP	Gasboy Atlas Lane-Oriented Transition Box	\$1,960.00		
SBD W-T	Wayne Island-Oriented Transition Box	\$1,960.00		
SBD W-P	Wayne Lane-Oriented Transition Box	\$1,960.00		
SBD MCL-T	PD McLaren Island & Lane-Oriented Transition Box	\$1,960.00		
SBD ADPANEL	Add Two 3' x 8' Aluminum Composite Plain Advertising Panels (No Graphics)	\$631.00		
SBD KBMBSC	Tan Color Tank Instead of Standard Blue	\$0.00		

\*Maximum 1 attached dispenser & stand. Additional dispensers are remote.

**TOTAL**



# Deluxe Series 2000/2600 Gallon Tanks

**LARGE 2000/2600 GALLON CAPACITY** Hold more DEF with this 2000/2600 gallon tank system.

**ROBUST** Engineered with a polyethylene tank and secondary containment, this unit is ready to stand up to heavy use in rugged environments.

**EXTREME COLD RESISTANT** With high-grade insulation and integrated heating you can be confident you can dispense DEF year-round without interruption.

## TANK SPECIFICATIONS

- 2000 or 2600 Gallon Polyethylene Tank
- Secondary Containment
- Polyethylene Outer Shell
- R-14 Insulation
- Forced Air Heating System
- 3/4 HP Submersible Pump
- Pressure Vacuum Vents
- Mechanical Overfill Protection
- Anchor Kit
- Light
- Electrical Control Panel
- Fill & Service Access Service Door
- Dispensing Access Door

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB-2000-8	2000 Gallon Deluxe	102" width x 145" length x 118" height	\$21,870.00		
SBD KB-2600-8	2600 Gallon Deluxe	102" width x 145" length x 118" height	\$23,356.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE	
SBD KBDEDTHTUD	Tank Insulation Deduction (No Secondary Containment)	(\$1,400.00)			
SBD KBDEDTINUD	Tank Heater Deduction Only	(\$500.00)			
SBD EXHFAN2E	Exhaust Fan/Vent for Warm Climates	\$400.00			
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00			
SBD TG1000-2K	Digital Tank Gauge	\$1,239.00			
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00			
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00			
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00			
SBD KB7100-UP1	Upgrade to 1 HP Submersible Pump	\$250.00			
SBD SWBOX1D	Switch Box for 1 Dispenser	\$328.00			
SBD SWBOX2D	Switch Box for 2 Dispensers	\$550.00			
SBD SWBOX3D	Switch Box for 3 Dispensers	\$620.00			
SBD 3/4MFKIT	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,700.00			
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00			
SBD SWBX3-6240	Switch Box for 2 Pumps 3-6 Dispensers (240 V)	\$1,048.00			
SBD KB2000-W	White Tank Color Instead of Standard Blue	\$641.00			
<b>TOTAL</b>					



# Ultra Series 2000/2600 Gallon Tanks



**SLEEK YET ROBUST DESIGN** Engineered to look great at any facility and to stand up to heavy use in rugged environments.

**LARGE CAPACITY** Hold more DEF with this 2000/2600 gallon tank.

**EXTREME COLD RESISTANT** With high-grade insulation and integrated heating you can be confident you can dispense DEF year-round without interruption.

## TANK SPECIFICATIONS

- 2000 or 2600 Gallon Polyethylene Vertical Tank
- Secondary Containment
- High-Performance Smooth Surface White Aluminum Composite Exterior Panels
- R-10 Insulated Top & Sides
- Easy-to-Clean FRP Interior Surfaces
- Powder-Coated Steel Base Frame with R14 Insulation
- Forced Air Heating System
- 3/4 HP Submersible Pump
- Pressure Vacuum Vents
- Mechanical Overfill Protection
- Anchor Kit
- LED Light
- Electrical Control Panel
- Fill & Service Access Door
- Dispensing Access Door

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB2000-8DP	2000 Gallon Ultra	102" width x 145" length x 118" height	\$25,550.00		
SBD KB2600-8DP	2600 Gallon Ultra	102" width x 145" length x 118" height	\$27,230.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KBDEDTHUD	Tank Insulation Deduction (No Secondary Containment)	(\$1,400.00)		
SBD KBDEDTINUD	Tank Heater Deduction Only	(\$500.00)		
SBD EXHFAN2E	Exhaust Fan/Vent for Warm Climates	\$400.00		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD TOPACDOOR	36" x 36" Top Access Door (in lieu of 18" Manway)	\$1,775.00		
SBD TG1000-2K	Digital Tank Gauge	\$1,239.00		
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD SWBOX1D	Switch Box for 1 Dispenser	\$328.00		
SBD SWBOX2D	Switch Box for 2 Dispensers	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers	\$620.00		
SBD 3/4MFKIT	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,700.00		
SBD KB7100-UP1	Upgrade to 1 HP Submersible Pump	\$250.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
SBD SWBX3-6240	Switch Box for 2 Pumps 3-6 Dispensers (240 V)	\$1,048.00		
<b>TOTAL</b>				

# Ultra Series 7100 Gallon Tank



**SLEEK YET ROBUST DESIGN** Engineered to look great at any facility and to stand up to heavy use in rugged environments.

**RECEIVE BULK DELIVERIES** Extra-large volume allows for 5000+ gallon transport deliveries without completely emptying the tank.

**BUILT FOR PEACE OF MIND** With volume-safety capacity, overfill protection, true secondary containment, and high grade insulation, you can be sure your DEF investment is secure.

## TANK SPECIFICATIONS

- 7,100 Gallon Polyethylene Inner Tank
- 6,500 Gallon Usable Capacity
- Triple Wall with Secondary Containment
- High Performance Composite Galvanized Steel External Container
- R-10 Insulation
- Submersible Pump
- Pressure/Vacuum Tank Vents
- Electric Overfill Protection
- Digital Tank Gauge
- Light
- Electrical Control Panel
- Top and Side Access Service Doors
- Anchor Kit

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD KB7100UR	7,100 Gallon	101" width x 216" length x 118" height	\$42,000.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD KB7100-HT	Add Tank Heating System to handle -40F/C	\$4,400.00		
SBD KBDEDTHTUD	Tank Insulation Deduction (No Secondary Containment)	(\$1,400.00)		
SBD 1KLWTMPLRS	Single Location Low Temperature Audible/Visual Alarm Tank only	\$881.00		
SBD EXHFAN2E	Exhaust Fan/Vent for Warm Climates	\$400.00		
SBD KB7100-HPA	High Product Level Alarm	\$1,647.00		
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD SWBOX1D	Switch Box for 1 Dispenser	\$328.00		
SBD SWBOX2D	Switch Box for 2 Dispensers	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers	\$620.00		
SBD 3/4MFKIT	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,700.00		
SBD KB7100-UP1	Upgrade to 1 HP Submersible Pump	\$250.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
SBD SWBX3-6240	Switch Box for 2 Pumps 3-6 Dispensers (240 V)	\$1,048.00		
<b>TOTAL</b>				



# Single Wall Bulk Tanks

**TOP FILL ACCESS** Tank access fittings are limited to the top to eliminate the chance of sidewall leaks and improve the tank structure integrity.

**LARGE CAPACITY** Store more DEF. KleerBlue's Standard Bulk Tanks offer the largest storage capacity of all our tanks.

**RECEIVE BULK DELIVERIES** 6,500 gallon tanks and larger allow for 5000+ gallon transport deliveries without completely emptying the tank.

**INEXPENSIVE** The 'no frills' Standard Bulk Tanks offer the most volume for the least cost.

## TANK AND FILL/PUMPING EQUIPMENT SPECIFICATIONS

- HDLPE Polyethylene Single Wall Flat-Bottom
- Built to ASTM D-1998 or Commercial Specs
- 3/4 HP Submersible Pump
- Pressure/Vacuum Tank Vents & Manway
- 2" Stainless Steel Ball Valve Fill Port
- Waist High Fill Access Stand for Top Fill Line
- Tank Top Fill Line with Check Valve & Lockable Ball Valve
- Mechanical Overfill Protection
- Extra 2" Opening on Top of Tank
- Tank Wrap for Shipping. Onsite Assembly Required. Instructions included.

DESCRIPTION	DIMENSIONS	ASTM-D SPEC PART NUMBER	LIST PRICE	QTY	COMMERCIAL SPEC PART NUMBER	LIST PRICE	QTY	TOTAL PRICE
850 Gallons	48" d x 117" h	SBD 850SWPKGA	\$6,535.00		KBS 850SWPKGA	\$5,591.00		
1,100 Gallons	64" d x 90" h	SBD 1100SWPKGA	\$5,975.00		KBS 1100SWPKGA	\$5,791.00		
2,000 Gallons	90" d x 88" h	SBD 2000SWPKGA	\$6,683.00		KBS 2000SWPKGA	\$6,254.00		
3,000 Gallons	90" d x 127" h	SBD 3000SWPKGA	\$8,374.00		KBS 3000SWPKGA	\$6,773.00		
6,500 Gallons	120" d x 153" h	SBD 6500SWPKGL	\$13,695.00		KBS 6500SWPKGL	\$10,493.00		
8,500 Gallons	120" d x 194" h	N/A	N/A		KBS 8500SWPKGL	\$13,401.00		
8,750 Gallons	142" d x 146" h	SBD 8750SWPKGL	\$17,609.00		N/A	N/A		
10,500 Gallons	142" d x 169" h	SBD 10500SWPKGL	\$19,045.00		KBS 10500SWPKL	\$14,356.00		
12,500 Gallons	142" d x 198" h	SBD 12500WPKGL	\$24,408.00		KBS 12500SWPKL	\$19,098.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD TG-RT1-10	Digital Tank Gauge for up to 10' tall tanks	\$1,240.00		
SBD TG-RT11-20	Digital Tank Gauge for up to 20' tall tanks	\$1,518.00		
SBD KB7100-HPA	High Product Level Alarm	\$1,647.00		
SBD 910415	TODD 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD SWBOX1D	Switch Box for 1 Dispenser	\$328.00		
SBD SWBOX2D	Switch Box for 2 Dispensers	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers	\$620.00		
SBD 3/4MFKIT	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,700.00		
SBD KB7100-UP1	Upgrade to 1 HP Submersible Pump	\$250.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
SBD SWBX3-6240	Switch Box for 2 Pumps 3-6 Dispensers (240 V)	\$1,048.00		
SBD E-DHOSPKGL	3/4" x 30' Hose Package	\$148.00		
SBD 347-5500	Seismic Restraints for Tanks with 90" diameters	\$941.00		
SBD 347-6500	Seismic Restraints for Tanks with 120" diameters	\$1,353.00		
SBD 347-7000	Seismic Restraints for Tanks with 142" diameters	\$2,005.00		
<b>TOTAL</b>				

- This design requires at least 4' above tank top for install/access to submersible pump.
- Inside tank location, please consider building access doors and tip-to-vertical clearance requirement for tank.
- Please contact sales for other capacities or dimensions, double wall tanks, various tank plant facilities and application questions.

# Insulated & Heated Single Wall Bulk Tanks



**TOP FILL ACCESS** Tank access fittings are limited to the top to eliminate the chance of sidewall leaks and improve the tank structure integrity.

**LARGE CAPACITY** Store more DEF. KleerBlue's Standard Bulk Tanks offer the largest storage capacity of all our tanks.

**INEXPENSIVE** The 'no frills' Standard Bulk Tanks offer the most volume for the least cost.

**EXTREME COLD RESISTANT** Factory-installed insulation & heating stands up to extreme environment factors.

## TANK AND FILL/PUMPING EQUIPMENT SPECIFICATIONS

- HDLPE Polyethylene Single Wall Flat-Bottom
- Built to ASTM D-1998 Spec
- Factory-Installed Delta T-50 Heat System
- Factory-Installed 2" Polyfoam Insulation
- 3/4 HP Submersible Pump
- Pressure Relief Components
- Pressure/Vacuum Tank Vents & Manway
- Waist High Fill Access Stand for Top Fill Line
- Insulated & Heated Tank Top Fill Line with Check Valve & Lockable Ball Valve
- 2" Stainless Steel Ball Valve Fill Port
- Mechanical Overfill Protection
- Extra 2" Opening on Top of Tank
- Tank Wrap for Shipping. Onsite Assembly Required. Instructions included.

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD 850CCPKGH	850 Gallons	52" d x 119" h	\$13,268.00		
SBD 1100CCPKGH	1,100 Gallons	68" d x 92" h	\$13,072.00		
SBD 2000CCPKGH	2,000 Gallons	94" d x 90" h	\$14,486.00		
SBD 3000CCPKGH	3,000 Gallons	94" d x 129" h	\$19,497.00		
SBD 6500CCPKGH	6,500 Gallons	124" d x 155" h	\$26,912.00		
SBD 8750CCPKGH	8,750 Gallons	146" d x 148" h	\$29,782.00		
SBD 10500CCPKGH	10,500 Gallons	146" d x 171" h	\$33,010.00		
SBD 12500CCPKGH	12,500 Gallons	146" d x 200" h	\$40,140.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD TG-RT1-10	Digital Tank Gauge for up to 10' tall tanks	\$1,240.00		
SBD TG-RT11-20	Digital Tank Gauge for up to 20' tall tanks	\$1,518.00		
SBD KB7100-HPA	High Product Level Alarm	\$1,647.00		
SBD 910415	TODO 2" Male Drybreak Tank Fill Adapter	\$783.00		
SBD 910416	OPW 2" Male Drybreak Tank Fill Adapter	\$657.00		
SBD 910381	Parker 2" Male Drybreak Tank Fill Adapter	\$229.00		
SBD 1MFKIT	Additional 1 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,950.00		
SBD SWBOX1D	Switch Box for 1 Dispenser	\$328.00		
SBD SWBOX2D	Switch Box for 2 Dispensers	\$550.00		
SBD SWBOX3D	Switch Box for 3 Dispensers	\$620.00		
SBD 3/4MFKIT	Additional 3/4 HP Submersible Pump Kit (Requires SBD SWBOX3-6120)	\$1,700.00		
SBD KB7100-UP1	Upgrade to 1 HP Submersible Pump	\$250.00		
SBD SWBOX3-6120	Switch Box for 2 Pumps for Up to 6 Total Dispensers (120 V)	\$1,048.00		
SBD SWBX3-6240	Switch Box for 2 Pumps 3-6 Dispensers (240 V)	\$1,048.00		
OMF D1SS-HI	Stainless 1" Discharge Pipe to Bottom of Tank with Heat Insulation	\$820.00		
SBD 347-5500	Seismic Restraints for Tanks with 90" diameters	\$941.00		
SBD 347-6500	Seismic Restraints for Tanks with 120" diameters	\$1,353.00		
SBD 347-7000	Seismic Restraints for Tanks with 142" diameters	\$2,005.00		
<b>TOTAL</b>				



- This design requires at least 4' above tank top for install/access to submersible pump.
- Please contact sales for other capacities or dimensions, double wall tanks, various tank plant facilities and application questions.





# **KLEERBLUE SPECIALTY TANKS & DISPENSING SYSTEMS**

# Which Specialty Tank Is Right for Me?

	HORIZONTAL TANK SYSTEMS	TRUCK-BED DISPENSER
		
	PG. 32	PG. 33
<b>BENEFITS</b>		
Turn-Key	Optional	✓
Portable	-	✓
Closed System	✓	Optional
Connects to Remote Dispenser	Optional	-
<b>TANK CAPACITY</b>		
50 Gallons	-	✓
100 Gallons	-	✓
230 Gallons	-	✓
1025 Gallons	✓	-
2000 Gallons	✓	-
<b>PUMP</b>		
110 Volt	✓	-
12-Volt	-	✓
<b>DISPENSING</b>		
20' Hose	✓	✓
Includes Nozzle	✓	✓

# Horizontal Tank Systems



Tote Pump Shown

**1025/2000 GALLON CAPACITY** Store more DEF than a standard 55 gallon drum or 275 or 330 gallon tote.

**TURN-KEY OR REMOTE DISPENSING** Choose between a turn-key tank and dispensing solution, or opt for a submersible pump package and connect with the dispenser of your choice.

**INEXPENSIVE** These "no frills" tanks allow you to store large volumes of DEF with limited start up cost.

## TANK SPECIFICATIONS

- 1025 or 2000 Gallon
- HDLPE Single Wall Polyethylene
- 16" Manway
- Tank Hold Down Hoops
- 2" Fill Line
- Lockable Ball Valve with Stainless Steel Bung
- 2" Pressure Vacuum Vent
- RSV Extractor Valve with Withdraw Coupler
- Micro Matic Extractor Valve
- Top Fill Ball Valve

## TOTE PUMP FOR TURN-KEY SOLUTION

- 110 Volt Pump
- Meter
- 20' Discharge Hose
- Stainless Steel Automatic Nozzle

## SUBMERSIBLE PUMP FOR SUPPLY REMOTE DISPENSER

- 3/4 HP Submersible Pump
- 110 Volt
- Stainless Steel Pump Discharge Line to Top of Tank
- 12' of 3/4" Discharge Hose

PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD 1025HZ-PKY	1025 Gallon with Tote Pump	48" diameter x 117" height x 50" height	\$5,031.00		
SBD 2000HZ-PKY	2000 Gallon with Tote Pump	64" diameter x 160" length x 70" height	\$8,205.00		
SBD 1025HZ-S	1025 Gallon with Submersible Pump	48" diameter x 117" height x 50" height	\$5,464.00		
SBD 2000HZ-S	2000 Gallon with Submersible Pump	64" diameter x 160" length x 70" height	\$8,850.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD SSNOZ-3/4N	Stainless Steel Automatic Nozzle 3/4" FNPT	\$210.00		
SBD SSNOZ-75B	Stainless Steel Swivel & Breakaway. One Time Use.	\$140.00		
SBD SSNOZ-7545	Stainless Steel 45 Degree Swivel	\$114.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo	\$1,275.00		
<b>TOTAL</b>				

# Truck Bed Tank & Dispensing System



230 Gallon Unit

50 & 100 Gallon Units

**PORTABLE** Easily place in a truck bed or on a trailer for filling off and on-road equipment

**MULTIPLE SIZES** Choose from 50, 100, or 230 gallons depending on your needs.

**NOZZLE COVER** House the nozzle in a stainless steel cover to prevent accidental DEF contamination.

**BATTERY POWERED PUMP** Connect the pump to your vehicle via battery cable and clamps or permanently wire it to your truck.

## TANK SPECIFICATIONS

- 50, 100, and 230 Gallon Poly Tanks
- Powder-Coated Steel Frame with Fork Lift Slots
- 12 Volt Diaphragm Pump
- 8' Suction Hose
- 20' of 3/4" Discharge Hose
- **Closed Systems:** Micro Matic Stainless Steel RV Dispense Coupler
- **Open Systems:** Camlock Fill Opening
- Resetable Meter
- Polypropylene Filter with 1 Micron Cartridge
- Stainless Steel Automatic Nozzle with Swivel
- Dust and Weather Proof Nozzle Storage Box





PART NUMBER	DESCRIPTION	DIMENSIONS	LIST PRICE	QTY	TOTAL PRICE
SBD 50PTDS	50 Gallon Portable Tank Dispensing system with Camlock Fill	26" width x 56" width overall (48" base) x 35" height	\$1,913.00		
SBD 50PTDSMM	50 Gallon Portable Tank Dispensing system with Micro Matic Fill	26" width x 56" width overall (48" base) x 35" height	\$2,166.00		
SBD 100PTDS	100 Gallon Portable Tank Dispensing System with Camlock Fill	26" width x 56" width overall (48" base) x 39" height	\$2,124.00		
SBD 100PTDSMM	100 Gallon Portable Tank Dispensing system with Micro Matic Fill	26" width x 56" width overall (48" base) x 39" height	\$2,358.00		
SBD 230PTDSMM	230 Gallon Portable Tank Dispensing System with Micro Matic Fill	48" diameter x 60" width overall (60" base) x 51" height	\$4,608.00		





# KLEERBLUE DRUM & TOTE PUMPS

# Which Pump Is Right for Me?

	 CLOSED TOTE/IBC	 OPEN TOTE/IBC	 CLOSED DRUM	 OPEN DRUM
	PG. 36	PG. 37	PG. 38	PG. 39
<b>BENEFITS</b>				
Contaminant Resistant	✓	-	✓	-
Automatic Shut-Off	Electric Only	-	Electric Only	-
Built-In Timer	Electric Only	-	Electric Only	-
<b>POWER REQUIREMENTS</b>				
110 Volt	✓	✓	✓	-
12 Volt	✓	-	✓	-
Air-Driven	✓	-	-	✓
Hand-Pump	-	-	✓	✓
Gravity	-	✓	-	✓
<b>GPM</b>				
17.5 GPM	✓	-	-	-
10 GPM	-	✓	-	-
8 GPM	✓	-	✓	-
6 GPM	-	-	-	✓
Manual	-	✓	✓	✓
<b>ACCESSORIES</b>				
Meter Available	✓	Electric Only	Electric Only	-
25' Hose	✓	-	Optional with Drum Trolley	Optional with Drum Trolley
20' Hose	✓	-	✓	-
12' Hose	-	✓	✓	✓
9' Hose	-	✓	-	✓
Drum Trolley	-	-	✓	✓
<b>MOUNT</b>				
Side-Mount Bracket	✓	-	-	-
Top Mount	✓	✓	✓	✓
Bottom Outlet Mount	-	✓	-	✓

# Closed Tote/IBC Dispensing Systems



**CONTAMINANT-RESISTANT** The closed system dramatically reduces the risk of SCR engine contamination.

**270/330 GALLON READY** Pumps can be used on standard 275 and 330 gallon totes/ IBCs.

**AUTOMATIC-SHUT OFF** Avoid overfilling equipment with an automatic shut-off nozzle.

**REGULATE GALLONS** The pumps that include meters allow you to keep an closer eye on your DEF usage.

## ELECTRIC PUMPS SPECIFICATIONS

- 110 or 12 Volt
- Self-Priming Membrane Pump
- 8 GPM Capability
- Energy-Saving Built-in Timer
- Optional Meter
- 20' Delivery Hose
- Stainless Steel Automatic Shut-Off Nozzle with Swivel End
- Suction Hose
- Tote Side-Mounted Bracket

- Stainless Steel Micro Matic RSV Dispense Coupler for Quick Connection and Drybreak Release

## AIR-DRIVEN PUMP SPECIFICATIONS

- Non-metallic Polypropylene Pump
- Double Diaphragm
- 17.5 GPM Capability
- 100 PSI Operating Pressure
- Top-Mounted Bed Plate
- Meter
- Micro Matic-Type Coupler
- Suction and Discharge Hose
- Stainless Steel Automatic Nozzle
- Air-Regulator (Not included) is required for safe and satisfactory service.

PART NUMBER	DESCRIPTION	LIST PRICE	QTY	TOTAL PRICE
SBD PPTM-1-110	110 Volt Pump with Meter	\$988.00		
SBD PPTM-2-110	110 Volt Pump without Meter	\$827.00		
SBD PPTM-1-12	12 Volt Pump with Meter	\$948.00		
SBD PPTM-2-12	12 Volt Pump without Meter	\$785.00		
SBD T-SP100-1	Air-Driven Pump	\$1,635.00		
<b>TOTAL</b>				

# Open Tote/IBC Dispensing Systems



Electric Pump

Gravity Kit

**270/330 GALLON READY** Pumps can be used on standard 275 and 330 gallon totes/ IBCs.

**AUTOMATIC-SHUT OFF** Avoid overfilling equipment with an automatic shut-off nozzle.

**REGULATE GALLONS** The pumps that include meters allow you to keep an closer eye on your DEF usage.

## ELECTRIC PUMPS SPECIFICATIONS

- 110 Volt
- Self-Priming Immersion Pump
- 9-10 GPM Capability
- Optional Meter with Resettable Display
- 12' Coupled Delivery Hose (30' Maximum)
- Stainless Steel Automatic Shut-Off Nozzle with Swivel End
- Suction Hose
- Nozzle Holder
- Screw Clamps and Thread Sealant

## GRAVITY KIT SPECIFICATIONS

- 9' Hose
- Manual Nozzle
- Vent
- All required fittings

PART NUMBER	DESCRIPTION	LIST PRICE	QTY	TOTAL PRICE
SBD FTPM-E-1-8	12 Volt Pump with Meter	\$1,793.00		
SBD FTPM-E-2-8	12 Volt Pump without Meter	\$1,495.00		
SBD 330GRAVKIT	Tote Gravity Kit	\$117.00		
<b>TOTAL</b>				



# Closed Drum Dispensing Systems



**CONTAMINANT-RESISTANT** The closed system dramatically reduces the risk of SCR engine contamination.

**55 GALLON READY** Pumps can be used on standard 55 gallon drums.

**AUTOMATIC-SHUT OFF** Avoid overfilling equipment with an automatic shut-off nozzle that is available standard with the electric pumps.

**REGULATE GALLONS** The pumps that include meters allow you to keep a closer eye on your DEF usage.

## ELECTRIC PUMPS SPECIFICATIONS

- 110 or 12 Volt
- Self-Priming Membrane Pump
- 8 GPM Capability
- Energy-Saving Built-in Timer
- Optional Meter
- 20' Delivery Hose
- Stainless Steel Automatic Shut-Off Nozzle with Swivel End
- Suction Hose
- Drum Top-Mounted Bracket
- Stainless Steel Micro Matic RSV Dispense Coupler for Quick Connection and Drybreak Release

## ROTARY HAND PUMP SPECIFICATIONS

- 1 Gallon per 10 revolutions
- RSV Compatible Coupler
- 12' of 3/4" hose
- Polyethylene ball valve with spout
- Optional Meter

## PISTON HAND PUMP SPECIFICATIONS

- 1 Gallon per 11 down-strokes
- RSV Compatible Coupler
- Hose
- Dispense Valve

PART NUMBER	DESCRIPTION	LIST PRICE	QTY	TOTAL PRICE
SBD PPDM-1-110	110 Volt Pump with Meter	\$977.00		
SBD PPDM-2-110	110 Volt Pump without Meter	\$815.00		
SBD PPDM-1-12	12 Volt Pump with Meter	\$928.00		
SBD PPDM-2-12	12 Volt Pump without Meter	\$765.00		
SBD HP-HV-MMP	Rotary Hand Pump with Meter	\$655.00		
SBD HP-HV-MM	Rotary Hand Pump without Meter	\$444.00		
SBD HP-HV-MMSS	Rotary Hand Pump without Meter but with Stainless Steel Coupler	\$511.00		
SBD T-HP-MM1	Piston Hand Pump without Meter	\$346.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD 148-4W	4-Wheel Drum Trolley	\$350.00		
SBD 148-4W-R	4-Wheel Drum Trolley with Spring-Rewind Hose Reel & 25' Hose	\$1,376.00		
SBD KF-KIT	Drum Fill Kit for Trolley	\$42.00		
<b>TOTAL</b>				

# Open Drum Dispensing Systems

**55 GALLON READY** Pumps can be used on standard 55 gallon drums.

**INEXPENSIVE** Save money where speed isn't the primary concern.



### AIR-DRIVEN PUMP SPECIFICATIONS

- 6.5 GPM Capability
- 100 PSI Maximum Operating Pressure

- Bung Adapter
- Suction Tube to Fasten Pump to Drum

- 12' Hose Kit
- Poly Trigger Nozzle

### ROTARY HAND PUMP SPECIFICATIONS

- 1 Gallon per 10 revolutions
- RSV Compatible Coupler

- 12' of 3/4" hose
- Polyethylene ball valve with spout

### PISTON HAND PUMP SPECIFICATIONS

- 1 Gallon per 11 down-strokes
- Suction Tube

- Hose
- Dispense Valve

- 2" FNPT Pump Connection

### GRAVITY KIT SPECIFICATIONS

- 9' Hose
- Manual Nozzle

- Vent
- All required fittings

PART NUMBER	DESCRIPTION	LIST PRICE	QTY	TOTAL PRICE
SBD T-AP-KIT1	Air-Driven Pump	\$544.00		
SBD HP-HV	Rotary Hand Pump	\$327.00		
SBD T-HP-KIT	Piston Hand Pump	\$149.00		
SBD 55GRAVKIT	Drum Gravity Kit	\$126.00		

PART NUMBER	DESCRIPTION	UNIT PRICE	QTY	TOTAL PRICE
SBD 148-4W	4-Wheel Drum Trolley	\$350.00		
SBD 148-4W-R	4-Wheel Drum Trolley with Spring-Rewind Hose Reel & 25' Hose	\$1,376.00		
SBD KF-KIT	Drum Fill Kit for Trolley	\$42.00		
<b>TOTAL</b>				



Drum Trolley Option. Shown with Electric (Closed System) Pump



KleeBlue™

**KLEERBLUE  
ACCESSORIES**

# Nozzles, Swivels & Breakaways



PART NUMBER	DESCRIPTION	LIST PRICE	QTY	TOTAL PRICE
SBD SSNOZZLE	Stainless Steel Automatic Nozzle with HB Swivel. 3/4" Hose Barb	\$210.00		
SBD SSNOZ-3/4N	Stainless Steel Automatic Nozzle 3/4" FNPT. 3/4" NPT.	\$210.00		
SBD SSNOZ-75B	Stainless Steel Swivel & Breakaway. One Time Use. 3/4" NPT.	\$140.00		
SBD SSNOZ-7545	Stainless Steel 45 Degree Swivel. 3/4" NPT.	\$114.00		
SBD OPWSSNOZZL	OPW Mis-Fill Automatic Nozzle & Reconnectable Breakaway Swivel Combo (OPW 21GU-0500, 21 GU-SSB) 1" BSPP Male Threads.	\$1,296.00		
SBD OPWSTDNOZ	OPW Non-Mis-fill Automatic Nozzle & Reconnectable Breakaway & Swivel Combo (OPW 21GU-0500, 21 GU-SSB) 1" BSPP male Threads	\$1,275.00		
SBD 21GU-SSB	OPW SS Breakaway and Swivel	\$442.00		
SBD 21GU-SPOUT	OPW Nozzle Replacement Spout	\$135.00		
SBD OPWMFPPD	DEF Mis-Filling Prevention Magnet	\$43.00		
		<b>TOTAL</b>		



# Reels & Hoses



PART NUMBER	DESCRIPTION	LIST PRICE	QTY	TOTAL PRICE
SBD REEL-H50S	Spring-Rewind Reel with 50' Hose. 3/4" MNPT Stainless Steel Ends.	\$1,548.00		
SBD REEL-25	Spring-Rewind Reel with 25' Hose. 3/4" MNPT Stainless Steel Ends.	\$997.00		
SBD REEL-25BSPP	Spring-Rewind Reel with 25' Hose. 1" Female BSPP Ends.	\$1,018.00		
SBD D3/4X12	12' of 3/4" DEF Discharge Hose. No Ends.	\$35.00		
SBD D3/4X18S	18' DEF Discharge Hose. 3/4" MNPT Stainless Steel Ends.	\$96.00		
SBD D3/4X18SPP	18' DEF Discharge hose. 3/4" MNPT & 1" Female BSPP Stainless Steel Ends.	\$118.00		
SBD D3/425S	25' DEF Discharge Hose. 3/4" MNPT Stainless Steel Ends.	\$116.00		
SBD D3/425SPP	25' DEF Discharge Hose. 3/4" MNPT & 1" Female BSPP Stainless Steel Ends.	\$138.00		
SBD DEF3/4BULK	3/4" Bulk DEF Hose. Priced Per Foot.	\$2.75		
SBD DEF1DHOSE	1" Bulk DEF Hose. Priced Per Foot.	\$6.00		
<b>TOTAL</b>				

# Thread Sealant



PART NUMBER	DESCRIPTION	LIST PRICE	QTY	TOTAL PRICE
SBD DEF SEALANT	Liquid Thread Sealant for DEF. 1.6 oz Tube.	\$31.00		
SBD DEF-PRIMER	Liquid Thread Primer. .88 oz. Reduces Cure Time.	\$19.00		
<b>TOTAL</b>				



# KLEERBLUE APPENDICES

# Compatible Tank Gauges

The following tank gauges can be installed on KleerBlue tanks prior to shipping. They must be customer-supplied. If you have any questions or don't see your desired gauge below, give us a call.

BRAND	TYPE	TANK	REQUIRED CUSTOMER-SUPPLIED PARTS
Incon	Magnetostrictive	400 Gallon Mini-Bulk	TSP-LL2-38-I Magnetostrictive Probe; 600-0200 50' Probe Wire; 2" Stainless Steel Float
Incon	Magnetostrictive	1,000 Gallon Mini-Bulk	TSP-LL2-81-I Magnetostrictive Probe; 600-0200 50' Probe Wire; 2" Stainless Steel Float
Centeron	Radar	400 & 1,000 Gallon Mini-Bulk	RM060E096F95BB0 RF Radar Monitor
Veeder-Root	Magnetostrictive	400 Gallon Mini-Bulk	846391-699 38" Mag Plus Alternative Probe; 2" float; 846400-124 20' cable
Veeder-Root	Magnetostrictive	1,000 Gallon Mini-Bulk	846391-699 82" Mag Plus Alternative Probe; 2" float; 846400-124 20' cable

# Mini-Bulk Dispenser Orientations

A tank's orientation (L,R, D) is determined by facing the unit on the dispenser side. A single-side dispenser facing you is an Island-Oriented/T-Frame unit. If the dispenser is dual-sided, it is a Lane-Oriented/P-Frame. If the dispenser is single-sided and faces the left lane, it is a Left-Hand Lane-Oriented/P-Frame. If the dispenser is single-sided and faces the right lane, it is a Right-Hand Lane-Oriented/P-Frame.



ISLAND-ORIENTED/T-FRAME



LEFT-HAND LANE-ORIENTED/P-FRAME  
OR  
DUAL-SIDED LANE ORIENTED/P-FRAME



RIGHT-HAND LANE-ORIENTED/P-FRAME  
OR  
DUAL-SIDED LANE ORIENTED/P-FRAME

# Submersible Pump & Pipe Size Recommendations

NO. OF PUMPS	PUMP SIZE	MAX NO. OF DISPENSERS	MAX FLOW*	MAX PSI	MAX FEET OF PIPE/PIPE SIZE**		
					1"	1.5"	2"
1	3/4 HP	3	18 GPM	52 PSI	50	250	500
2	3/4 HP	6	36 GPM	52 PSI	---	150	400
1	1 HP	3	18 GPM	68 PSI	100	400	800
2	1 HP	6	36 GPM	68 PSI	---	300	600

\* Max flow is for number of dispensers noted for typical installation based on "best" engineering and plumbing practices. Note that maximum flow at each dispenser is 10 GPM, while minimum flow at the auto nozzle is 5 GPM.

\*\* Horizontal, straight pipe. Vertical pipe runs and elbows add head pressure, and lower the flow rate.

# Terms and Conditions

All products are sold and all quotations are subject to the following terms and conditions:

1. Buyer's order is accepted on the condition that the following terms and conditions, or any special attachments, shall apply and shall constitute the entire agreement between the parties. The terms and conditions may not be varied, and no modification or addition to them shall be of any force or effect, unless made by or specifically accepted by Separation by Design, Murray Equipment, Inc. DBA KleerBlue "KleerBlue" in writing. Acceptance of Buyer's orders, which contain additional or different conditions of purchase printed on the order form, shall not be binding upon KleerBlue unless specifically agreed to in writing by an authorized representative of KleerBlue (if any conflict exists between the terms and conditions as set forth herein, and those terms and conditions as contained on Buyer's order form, these terms and conditions shall supersede and govern.)
2. All quotations or agreements are contingent upon strikes, lockout, work-stoppages, war riot, availability of materials, fire, accident or any other cause beyond KleerBlue's control. KleerBlue shall have no liability for any delay, failure to deliver, loss or damage, or any consequential damages arising therefrom.
3. Time for delivery shall not be of the essence of the agreement. KleerBlue will make its best efforts to meet the stated shipment or delivery dates, but it shall not be liable for any loss or damages, including consequential damages, resulting from any delay.
4. All orders are subject to a minimum net invoice billing of \$5.00 exclusive of no-product charges such as postage, freight or taxes, etc., unless stated to the contrary on the face of this agreement. Payment terms are 2% 10 days net 30 days after due date will accrue interest at the rate of 1 and, 12 percent per month, 18 percent per year.
5. Invoices are billed at prices in effect at time of shipment. Prices and discounts are subject to change without notice.
6. Title and risk of loss or damage to the equipment shall pass to the purchaser upon tender or delivery F.O.B. manufacturing facility unless otherwise agreed upon by the parties.
7. Typographical or mathematical errors made by KleerBlue in quotations, acknowledgments or invoices are subject to correction. To be allowable, any claim of error in quantity shipped shall be made by the Buyer in writing, within 10 days after receipt of the goods.
8. No goods may be returned without KleerBlue's written permission. If authorized for return, transportation charges must be prepaid by Buyer unless otherwise agreed to by KleerBlue in writing in the authorization to return goods. All goods authorized for return are subject to inspection and acceptance. A handling charge equal to 15 percent of the purchase of the goods will be assessed on items not returned within 90 days, unless waived by KleerBlue, in writing, in the authorization to return goods. No credits are issued without the original invoice number.
9. No cancellation, suspension or variation of an order accepted by KleerBlue shall be valid unless agreed to by KleerBlue in writing. KleerBlue reserves the right to assess cancellation or other charges to indemnify against all loss, including the profit on any part of an order that is canceled.
10. Buyer agrees to, and does, indemnify and hold harmless KleerBlue against any and all loss or liability either direct or indirect, including reasonable attorney fees for or on account of any claims, demands or suits for any actual or alleged infringement of any letters, patents, copyrights or trademarks, either domestic or foreign arising from the manufacture or sale of goods in accordance with patterns, designs, specifications, drawings, directions, technical information or data furnished to KleerBlue by Buyer.
11. All quotations and all of the terms and conditions set forth above, and any agreement or sale arising between Buyer and KleerBlue shall be governed and construed in accordance with the laws of the State of Indiana. Exclusive jurisdiction and venue for any and all claims arising out of any quotation or sale between Buyer and KleerBlue shall be in the courts located in Allen County, Indiana.
12. Under no circumstances shall KleerBlue be liable for indirect, consequential, incidental or special damages, including but not limited to, loss of profit, loss of product, or any cleanup costs associated with loss of product.
13. KleerBlue certifies that the products furnished pursuant to this agreement have been or will be produced in compliance with the Fair Labor Standards Act as amended and regulations and orders of the United States Department of Labor. KleerBlue agrees that this statement may be considered as the written assurance contemplated by said Act.
14. Unless otherwise expressly provided, KleerBlue shall retain title to and possession of any models, patterns, dyes, molds, jigs, fixtures, and tools made for or obtained for the furnishing of this order.
15. Buyer's acceptance of any order based on this agreement shall evidence the acceptance by the Buyer of the terms and conditions on the face and reverse side of this agreement. By accepting the goods, Buyer agrees to be bound by these terms and conditions, notwithstanding any adverse or conflicting terms or conditions on Buyer's purchase order. Any exceptions or changes must be in writing and signed by an authorized representative of KleerBlue.



# Questions? Need a Quote? Contact Us Today!

(800) 320-2122 or [Sales@KleerBlue.com](mailto:Sales@KleerBlue.com)



# KleeBlue™

*Your Total DEF Storage & Dispensing Equipment Solution*

1601 Buchanan Road  
Evansville, IN 47720

[www.KleerBlueSolutions.com](http://www.KleerBlueSolutions.com)  
(800) 320-2122